

Appendix A Glass Door Schedule

Gibsons & District Aquatic Facility:

Complete unit: (Brown anodized finish to match existing)

- Metal frame (contractor to confirm style and size)
- Von Duprin 9827 EO Vertical Rod Panic hardware or like x2 / double door exit
- Von Duprin 98L-DT or like x 1 door
- DS 5000 threshold or like
- CSA approved laminated tempered double paned safety Glass, no wire insert
- Exterior metal pull handles x2
- 2 x Allegion Commercial Grade LCN 4040XP Commercial Grade Door Closure or equivalent
- DS138C or like sweeps
- DS 130C weather stripping / Commercial grade or like
- Draft seal DS147C Meeting Stile Astragals or like
- **Note: this door is utilized as the staff entrance door, keyed to key #GP2



Sunshine Coast Arena Doors:

Front Entrance Glass Sliding Doors

1 Horton ProSlide Bi-parting automatic sliding door system or equivalent, series SO-SX-SX-SO

- Complete header and frame assembly.
- Clear anodized aluminum finish,
- Approx. 120 x 86
- 6mm Clear Units – Tempered 2 Sides
- Electromechanical Motor gear box drive Module with Microprocessor Control
- Two sliding door panels, two Sidelight panels, manual two-point hook lock
- Emergency breakaway hardware
- Activation/Safety Motion/Presence Sensor system
- Dual Photoelectric beams
- Muntin's
- Threshold
- Function Switch
- Safety Decals
- Glass to be CSA approved safety Glass

****Note:** this door is utilized as the staff entrance door, keyed to key #SA1



Gibsons Area Community Center :

Lower Arena Exterior Entrance Glass Sliding Doors

1 Stanley Bi-parting automatic sliding door system or equivalent.

- Complete header and frame assembly.
- Clear anodized aluminum finish,
- Approx. 96" Width x 101.5" Height
- 6mm Clear Units – Tempered 2 Sides
- Electromechanical Motor gear box drive Module with Microprocessor Control
- Emergency breakaway hardware
- Activation/Safety Motion/Presence Sensor system
- Dual Photoelectric beams
- Muntin's
- Threshold
- Function Switch
- Safety Decals
- Glass to be CSA approved safety Glass

**Key to be determined



Gibsons Area Community Center :

Lower Arena Interior Entrance Glass Sliding Doors

1 Stanley Bi-parting automatic sliding door system or equivalent.

- Complete header and frame assembly.
- Clear anodized aluminum finish,
- Approx. 96" Width x 101.5" Height
- 6mm Clear Units – Tempered 2 Sides
- Electromechanical Motor gear box drive Module with Microprocessor Control
- Emergency breakaway hardware
- Activation/Safety Motion/Presence Sensor system
- Dual Photoelectric beams
- Muntin's
- Threshold
- Function Switch
- Safety Decals
- Glass to be CSA approved safety Glass

**Key to be determined



